Christian T. Herbst: Physiologische Determinanten für das Stimmfach
VOX HUMANA 2026_3, Seite 46-49

Literaturverzeichnis

[1] Andrey Anikin, Santiago Barreda und David Reby. „A practical guide to calculating vocal tract length and scale-invariant formant patterns“. In: *Behavior Research Methods* 56.6 (2024), S. 5588–5604. DOI: 10.3758/s13428-023-02288-x.

[2] Christopher S. Apfelbach. „Tessa: A Novel MATLAB Program for Automated Tessitura Analysis“. In: *Journal of Voice* 36.5 (2022), S. 599–607. DOI: 10.1016/j.jvoice.2020.07.039.

[3] Eva Björkner. „Musical theater and opera singing – why so different? A study of subglottal pressure, voice source, and formant frequency characteristics“. In: *Journal of Voice* 22.5 (2008), S. 533–540. DOI: 10.1016/j.jvoice.2006.12.007.

[4] Tracy Bourne und Maëva Garnier. „Physiological and acoustic characteristics of the female music theater voice“. In: *The Journal of the Acoustical Society of America* 131.2 (2012), S. 1586–1594. DOI: 10.1121/1.3675010.

[5] Thomas Carroll u. a. „Objective measurement of vocal fatigue in classical singers: a vocal dosimetry pilot study“. In: *Otolaryngology – Head and Neck Surgery* 135.4 (2006), S. 595–602. DOI: 10.1016/j.otohns.2006.06.1268.

[6] Thomas F. Cleveland. „Acoustic properties of voice timbre types and their influences on voice classification“. In: *The Journal of the Acoustical Society of America* 61 (1977), S. 1622–1629.

[7] Sandra Cotton. „Fach vs. Voice Type: A Call for Critical Discussion“. In: *Journal of Singing* 69.2 (2012), S. 153–166.

[8] Philippe H. Dejonckere, Minoru Hirano und Johan Sundberg, Hrsg. *Vibrato*. Singular Publishing Group, 1995.

[9] L. Dmitriev und A. Kiselev. „Relationships between the formant structure of different types of singing voices and the dimension of supraglottic cavities“. In: *Folia Phoniatrica* 31 (1979), S. 238–241.

[10] Matthias Echternach u. a. „Articulatory and acoustic differences between lyric and dramatic singing in Western classical music“. In: *The Journal of the Acoustical Society of America* 155.4 (2024), S. 2659–2669. DOI: 10.1121/10.0025751.

[11] Christopher S. Gaskill, Jennifer G. Cowgill und Shenendoah Many. „Comparing the Vocal Dose of University Students from Vocal Performance, Music Education, and Music Theater“. In: *Journal of Singing* 70.1 (2013), S. 11–19.

[12] Christian T. Herbst. „A Review of Singing Voice Subsystem Interactions – Toward an Extended Physiological Model of ‚Support'“. In: *Journal of Voice* 31.2 (2017), S. 249.e13–249.e19. DOI: 10.1016/j.jvoice.2016.07.019.

[13] Christian T. Herbst. „Registers – the snake pit of voice pedagogy. Part I: Proprioception, perception, and laryngeal mechanisms“. In: *Journal of Singing* 77.2 (2020), S. 175–190.

[14] Christian T. Herbst. „Vowel Space Gymnastics – An Augmented Perspective on Voice Acoustics and Formant Tuning. Part I – Basic Principles“. In: *Journal of Singing* 82.4 (2026).

[15] Christian T. Herbst und Jan G. Švec. „Everything influences everything: understanding the complex process of voice production“. In: *Journal of Voice* (2026). In Vorbereitung.

[16] Abyan Irzaldy, Sundari Indah Wiyasihati und Bambang Purwanto. „Lung Vital Capacity of Choir Singers and Nonsingers: A Comparative Study“. In: *Journal of Voice* 30.6 (2016), S. 717–720. DOI: 10.1016/j.jvoice.2015.08.008.

[17] Aaron M. Johnson und Gail B. Kempster. „Classification of the classical male singing voice using long-term average spectrum“. In: *Journal of Voice* 25.5 (2011), S. 538–543. DOI: 10.1016/j.jvoice.2010.05.009.

[18] Rudolf Kloiber, Wulf Konold und Robert Maschka. *Handbuch der Oper*. 16. Aufl. Bärenreiter/J. B. Metzler, 2024. DOI: 10.1007/978-3-662-68526-6.

[19] Martin Kunath. „Die Charakterologie der stimmlichen Einheiten in der Oper“. In: *Zeitschrift für Musikwissenschaft* 8 (1925), S. 403–410.

[20] Richard Miller. „On the Invasion of Vocal Pedagogy by Science“. In: *Journal of Singing* 37.5 (1981), S. 37.

[21] Richard Miller. *The Structure of Singing: System and Art in Vocal Technique*. Schirmer Books, 1986.

[22] Richard Miller. „Please Tell Me My Fach“. In: *Journal of Singing* 51.1 (1994), S. 35.

[23] Richard Miller. „Please Tell Me My Fach“. In: *On the Art of Singing*. Oxford University Press, 1996, S. 200–201. DOI: 10.1093/acprof:osobl/9780195098259.003.0064.

[24] Jenny Molinder. „Akustiska och perceptuella skillnader mellan röstfacken lyrisk och dramatisk sopran“. Magisterarbeit. Lund University, 1997.

[25] Matthias Müller u. a. „Lyric or dramatic – Vibrato analysis for voice type classification in professional opera singers“. In: *IEEE/ACM Transactions on Audio, Speech, and Language Processing* 29 (2021), S. 943–955. DOI: 10.1109/TASLP.2021.3054299.

[26] Matthias Müller u. a. „New objective timbre parameters for classification of voice type and fach in professional opera singers“. In: *Scientific Reports* 12.1 (2022), Art. 17921. DOI: 10.1038/s41598-022-22821-w.

[27] John Nix. „Measuring Mozart: A Pilot Study Testing the Accuracy of Objective Methods for Matching a Song to a Singer“. In: *Journal of Singing* 70.5 (2014), S. 561–572.

[28] Paul M. Patinka. „Musical Tessituragram Analysis of Arias in the G. Schirmer Opera Anthology Series“. In: *Journal of Voice* (2026). DOI: 10.1016/j.jvoice.2026.01.004.

[29] Nicole Pizzorni u. a. „The Vocal Score Profile in Verdi’s Characters“. In: *Journal of Voice* 33.5 (2019), S. 805.e13–805.e20. DOI: 10.1016/j.jvoice.2018.03.013.

[30] Beverley Pullon. „Relationship of the Cricothyroid Space with Vocal Range in Female Singers“. In: *Journal of Voice* 31.1 (2017), S. 125.e17–125.e23. DOI: 10.1016/j.jvoice.2015.11.026.

[31] Bernhard Richter. *Die Stimme: Grundlagen, künstlerische Praxis, Gesunderhaltung*. Henschel, 2013.

[32] Friederike Roers, Dirk Mürbe und Johan Sundberg. „Predicted singers’ vocal fold lengths and voice classification – a study of x-ray morphological measures“. In: *Journal of Voice* 23.4 (2009), S. 408–413. DOI: 10.1016/j.jvoice.2007.12.003.

[33] Friederike Roers, Dirk Mürbe und Johan Sundberg. „Voice classification and vocal tract of singers: a study of x-ray images and morphology“. In: *The Journal of the Acoustical Society of America* 125.1 (2009), S. 503–512. DOI: 10.1121/1.3026326.

[34] Susanne Rosenberg, Johan Sundberg und Filipa M. B. Lã. „Kulning: Acoustic and Perceptual Characteristics of a Calling Style Used Within the Scandinavian Herding Tradition“. In: *Journal of Voice* 38.3 (2024), S. 585–594. DOI: 10.1016/j.jvoice.2021.11.016.

[35] Harm Schutte. „The efficiency of voice production“. Diss. University of Groningen, 1980.

[36] Wolfram Seidner und Jürgen Wendler. *Die Sängerstimme*. 4. Aufl. Henschel, 2004.

[37] Claudio Storck und Fabian Unteregger. „Cricothyroid joint type as predictor for vocal fold elongation in professional singers“. In: *The Laryngoscope* 128.5 (2018), S. 1176–1181. DOI: 10.1002/lary.26984.

[38] Brad Story. „The Vocal Tract in Singing“. In: *The Oxford Handbook of Singing*. Hrsg. von Graham F. Welch, David M. Howard und John Nix. Oxford University Press, 2019, S. 144–166. DOI: 10.1093/oxfordhb/9780199660773.013.012.

[39] Dins Sumerags u. a. „Assessment of professional singers using laryngeal, respiratory, and airflow measurements“. In: *Logopedics Phoniatrics Vocology* 49.4 (2024), S. 170–178. DOI: 10.1080/14015439.2023.2270592.

[40] Johan Sundberg. „Articulatory interpretation of the ‚singing formant‘“. In: *The Journal of the Acoustical Society of America* 55.4 (1974), S. 838–844.

[41] Johan Sundberg. „Level and Center Frequency of the Singer’s Formant“. In: *Journal of Voice* 15.2 (2001), S. 176–186. DOI: 10.1016/S0892-1997(01)00019-4.

[42] Johan Sundberg. „Flow Glottogram and Subglottal Pressure Relationship in Singers and Untrained Voices“. In: *Journal of Voice* 32.1 (2018), S. 23–31. DOI: 10.1016/j.jvoice.2017.03.024.

[43] Annie Ternström. „Lyrical vs. Dramatic Sopranos – What is the Difference?“ Bachelorarbeit. University of Music and Performing Arts, 2022, S. 1–26.

[44] Stefan Thurmer. „The Tessiturogram“. In: *Journal of Voice* 2.4 (1988), S. 327–329.

[45] Ingo Titze. „Five ingredients of a physiologically gifted voice“. In: *Journal of Singing* 54.3 (1998), S. 45–46.

[46] Ingo Titze. „Toward occupational safety criteria for vocalization“. In: *Logopedics Phoniatrics Vocology* 24 (1999), S. 49–54.

[47] Ingo Titze. „Quantifying Tessitura in a Song“. In: *Journal of Singing* 65.1 (2008), S. 59–61.

[48] Ingo Titze, Jack J. Jiang und Tzu-Yu Hsiao. „Measurement of mucosal wave propagation and vertical phase difference in vocal fold vibration“. In: *Annals of Otology, Rhinology & Laryngology* 102 (1993), S. 58–63.

[49] Zehui Wang u. a. „Harnessing Machine Learning in Vocal Arts Medicine: A Random Forest Application for ‚Fach‘ Classification in Opera“. In: *Diagnostics* 13.18 (2023), Art. 2870. DOI: 10.3390/diagnostics13182870.

[50] Patricia Yates. „Fach it! Patricia Yates tells us why it’s time to ditch the voice classification system used heavily in the opera industry to cast roles“. In: *Opera Canada* 63.4 (2023), S. 45–51.

[51] Zhaoyan Zhang. „Cause-effect relationship between vocal fold physiology and voice production in a three-dimensional phonation model“. In: *The Journal of the Acoustical Society of America* 139.4 (2016), S. 1493–1507. DOI: 10.1121/1.4944754.

[52] Zhaoyan Zhang. „Vocal Fold Vertical Thickness in Human Voice Production and Control: A Review“. In: *Journal of Voice* (2023). DOI: 10.1016/j.jvoice.2023.02.021.